



LFL-2GD012-01
LFL-3GD012-01



High density pure aluminum, good hardness, surface treatment, corrosion resistance and rust resistance.



PMMA high transparency, anti - rain, anti - moisture, anti - fire, beautiful



High brightness SMD 2835 chip




Features Description

- ◆ 1. It adopts 6063 pure aluminum and through-hole waterproof design to accelerate heat dissipation.
- ◆ 2. Low energy consumption, high efficiency LED green light, economical and applicable.
- ◆ 3. Equipped with PUR tensile and waterproof cable.
- ◆ 4. Voltages can be DC12V.
- ◆ 5. Strong corrosion resistance, double waterproof, depth up to 100 meters.

Applications



The maximum diving depth is 100 meters




- Attract fish efficiently
- Extremely durable design
- Easy to use and strong waterproof




Technical parameters

SPECIFICATION		LFL-3GD012-01	LFL-2GD012-01
ELECTRICAL SPECIFICATIONS	Input Voltage (V)	DC12V	
	Power Factor	-	
	Power Watts(W)	300W	200W
	Dimming Availability	NO	
	THD	-	
	Efficiency	≥90%	
PHOTOMETRIC INFORMATION	Lumens Delivered (lm)	25500lm±5%	17000lm±5%
	Color Rendering Index (CRI)	-	
	Wavelength(NM)	520-530NM	
	Light Type	SMD 3030	
	Beam Angle	360°	
	LED Amount	576LEDs	384LEDs
GENERAL PERFORMANCE	IP Grade	IP68	
	Material	6063 aluminum +PMMA	
	Lamp Size	Φ112*H340 mm Φ4.4"*H 13.4"	
	Fixture Weight	2.8Kg(6.2lbs)	
	Storage temperature	-25°C - 55 °C (-13°F to 131°F)	
	Working environment	Used underwater	
	Environment Humidity	40% ~ 90% RH, non condensing	
	Certification	CE,ROHS	
	Life Span	>30,000 hours(Luminance decrease is less than 30%)	

Size chart & Light Distribution



Package



Packaging type	Small box	Outer Carton Dimensions	Gross weight	Quantity (Pieces/Unit)
LFL-2GD012-01	L39.5*W25*H20.5cm	L51.5*W41*H43.5cm	13Kg	4pcs
LFL-3GD012-01				

Warning:

1. Please use qualified DC power supply
2. The fishing light can only be used underwater, and cannot be lit in the air.
3. Waterproof Product. Handle with care, and do not damage the waterproof sealing ring. Do not use the product if it gets water.

How to use:

1. Place the fishing light in a suitable position underwater, and connect the 12V DC power supply to light it up.
2. Set up the fishing hook and fishing net area, then the green light will attract the fish coming into the set area.
3. Wait for a period of time, you can efficiently capture the fish.

