





LFL-10GA22-01
LFL-20GA22-01
LFL-30GA22-01



High density pure aluminum, good hardness, surface treatment, corrosion resistance and rust resistance.



PMMA high transparency, anti - rain, anti - moisture, anti - fire, beautiful



Intelligent constant current IC, safer and more stable

Features Description

- ◆ 1. Adopts the latest design of short circuit and redundant protection IC linear scheme.
- ◆ 2. Low energy consumption, high efficiency LED green light, economical and applicable.
- ◆ 3. Equipped with PUR tensile and waterproof cable. cable length 30m (standard).
- ◆ 4. Voltages can be 220V AC .
- ◆ 5. Strong corrosion resistance, double waterproof, depth up to 100 meters.

Applications



100 meters water depth
Lure fish light



LARGEMOUTH BASS



CRAPPIE



SNOOK



STRIPED BASS



BIG DRUM




SNAPPER



WICKED TUNA



PEACOCK BASS






Technical parameters


SPECIFICATION		LFL-10GA22-01	LFL-20GA22-01	LFL-30GA22-01
ELECTRICAL SPECIFICATIONS	Input Voltage (V)	AC220V		
	Power Factor	>0.9		
	Power Watts(W)	1000W	2000W	3000W
	Dimming Availability	NO		
	THD	<20%		
	Efficiency	≥90%		
PHOTOMETRIC INFORMATION	Lumens Delivered (lm)	75000LM±5%	150000LM±5%	225000LM±5%
	Color Rendering Index (CRI)	-		
	Wavelength(NM)	520-530NM		
	Light Type	SMD 3030		
	Beam Angle	360°		
	LED Amount	576 LEDs	1152 LEDs	1728 LEDs
GENERAL PERFORMANCE	IP Grade	IP68		
	Material	6063 aluminum		
	Lamp Size	Φ310*H160 mm Φ12.2"*H 6.3"	Φ490*H160 mm Φ19.3"*H 6.3"	Φ670*H160 mm Φ26.4"*H 6.3"
	Fixture Weight	10.5Kg(23lbs)	13Kg(28.6lbs)	15.5Kg(34lbs)
	Storage temperature	-25°C - 55 °C (-13°F to 131°F)		
	Operating Temperature	-25°C - 25 °C (-13°F to 77 °F)		
	Environment Humidity	40% ~ 90% RH, non condensing		
	Certification	CE,ROHS		
	Life Span	>30,000 hours(Luminance decrease is less than 30%)		

Size chart & Light Distribution





Package



Packaging type	Outer Carton Dimensions	Gross weight	Quantity (Pieces/Unit)
LFL-10GA22-01	L36*W26.5*H29cm	11kg	1pcs
LFL-20GA22-01	L56*W26.5*H29cm	13.5kg	1pcs
LFL-30GA22-01	L74*W26.5*H29cm	16kg	1pcs

Warning:

1. Please use qualified AC power supply
2. The fishing light can only be used underwater, and cannot be lit in the air.
3. Waterproof Product. Handle with care, and do not damage the waterproof sealing ring. Do not use the product if it gets water.

How to use:

1. Place the fishing light in a suitable position underwater, and connect the 220V AC power supply to light it up.
2. Set up the fishing hook and fishing net area, then the green light will attract the fish coming into the set area.
3. Wait for a period of time, you can efficiently capture the fish.

